


ROUND COPPER TUBES

Due to having a very good thermal conductivity and very good cold workability, copper tubes are used in various industries.

We have over 80 years of experience in the production of brass, bronze and copper semi-finished products.

- Production to the highest quality standards
- Fast offer
- Manufacturer prices
- Fast delivery directly from stock or on order
- Transport assured at request
- Technical consultancy



www.tripmaterials.ch

We provide products and services at the highest quality standards to satisfy the most demanding customers requirements.



ROUND COPPER TUBES

ALLOY STANDARDS AND SYMBOLS

Alloy		Standards	Applications
Chemical symbol	Numerical symbol		
Cu-ETP	CW004A	EN 12449	Water distribution pipelines Elements of connection (cable lugs)
Cu-OF	CW008A	EN 13600	Electric heating elements Machine engineering industry

SHAPES AND DIMENSIONS

Shape	Manufacturing Process	Dimensions	Temper
●	Hot extruded	Outer diameter: 70-140 mm Inner diameter: 30-90 mm Wall thickness: > 20-30 mm Dext./ wall thickness = min.3	D – cold drawn <u>Soft (annealed):</u> R200 / H035 Half hard: R250 / H065 Hard: R290 / H090
	Cold drawn	Outer diameter: 21-120 mm Inner diameter: 18-85 mm Wall thickness: 1.5-20 mm	